
Outlook

Uwe Starfinger¹, Ulrike Sölter², Arnd Verschwele²





DOI 10.5073/jka.2016.455.46



As this volume shows, the project HALT Ambrosia has addressed some gaps in this knowledge base and has systemically conducted series of experiments mainly on some aspects of germination biology and on control options. In addition, some review-type chapters have comprehensively collected and discussed already existing information. The results of the project have been presented in numerous forms, as in publications and conference papers. They were specifically discussed in national conferences; proceedings of the German and Austrian conferences have been published (Karrer 2011, Starfinger et al. 2014).

The interest in the species is ongoing and the amount of knowledge on it is growing continuously, comprehensive overviews were recently published, e.g., Essl et al. 2015, Buters et al. 2015.

The overall conclusion from our and from other published research is that common ragweed can be successfully controlled when management measures suitable for the specific situation are chosen. If management is performed it is more a question of political will, legislative circumstances, and available resources than of applicable management measures.

Activities trying to enhance ragweed control in Europe are also ongoing. The COST action SMARTER (Sustainable management of Ambrosia artemisiifolia in Europe) provides a forum for discussing long-term management and monitoring options (ragweed.eu). The International Ragweed Society (http://internationalragweedsociety.org) aims at promoting the knowledge about ragweed and at facilitating collaboration, research, etc. in order to enhance the fight against the plant.

The team of the HALT Ambrosia project (07.0322/2010/58340/SUB/B2) wish to express its thanks to the European Commission, DG Environment for financial support.

References

- Buters J.T.M., Alberternst B., Nawrath S., Wimmer M., Traidl-Hoffmann C., Starfinger U., Behrendt H., Schmidt-Weber C., Bergmann K.C. (2015): Ambrosia artemisiifolia (ragweed) in Germany. Current presence, allergologic relevance and containment procedure. Allergo J Int 2015; 24:108-20
- Essl, F., Biró, K., Brandes, D., Broennimann, O., Bullock, J. M., Chapman, D. S., Chauvel, B., Dullinger, S., Fumanal, B., Guisan, A., Karrer, G., Kazinczi, G., Kueffer, C., Laitung, B., Lavoie, C., Leitner, M., Mang, T., Moser, D., Müller-Schärer, H., Petitpierre, B., Richter, R., Schaffner, U., Smith, M., Starfinger, U., Vautard, R., Vogl, G., von der Lippe, M. and Follak, S. (2015): Biological Flora of the British Isles: Ambrosia artemisiifolia. Journal of Ecology, 103: 1069–1098. doi: 10.1111/1365-2745.12424
- Karrer, G. (2011): Ausgangssituation und Projektstruktur: Ragweed Ausbreitungsbiologie und Management einer extrem allergenen, einge- schleppten Pflanze – Wege und Ursachen der Ausbreitung von Ragweed (Ambrosia artemisiifolia) sowie Möglichkeiten seiner Bekämpfung. Ragweed - eine invasive Pflanze mit allergenem Potential: Wege und Ursachen der Ausbreitung von Ragweed sowie Möglichkeiten der Bekämpfung , 25. 11. 2011, AGES, Wien
- Starfinger, U., Sölter, U., Verschwele, A. (Hrsg.) (2014): Ambrosia in Deutschland lässt sich die Invasion aufhalten? Julius-Kühn-Archiv 445, 165 pp.

